



Domtech Inc.  
40 East Davis Street  
Trenton, Ontario  
Canada, K8V 6S4  
Ph: 613-394-4884  
Fax: 613-394-0108  
Toll Free: 888-278-8258 (USA & Canada)  
[www.domtech.net](http://www.domtech.net)

## Safety Data Sheet

### Section 1. Identification

**Product identifier:** Domtech PVC Electrical Wire and Cable.

**Synonym:** Domtech copper wire coated with Plasticized Polyvinyl Chloride (PVC).

**Recommended use:** Electrical Wire and Cable.

**Manufacturer:** Domtech Inc.  
40 East Davis Street  
Trenton, Ontario  
Canada, K8V 6S4  
Ph: 613-394-4884  
Fax: 613-394-0108  
Toll Free: 888-278-8258 (USA & Canada)  
[www.domtech.net](http://www.domtech.net)  
Emergency Phone numbers: 613-394-4884  
Toll Free: 888-278-8258 (USA & Canada)

### Section 2. Hazard identification

**Hazard Classification:** Not classified.

**Label Elements:** No label element(s) required.

**Other Hazards:** Not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

### Section 3. Composition/Information on ingredients

**Note:** Under normal usage coated wire and cable is inert. Composition information of individual components is provided based on supplier data. Any concentration shown as a range is due to variations in the different mixtures.

#### **A) Electrical conductors:**

| Name              | Chemical name   | Common name and synonyms | CAS number   | Concentration by weight of conductor   |
|-------------------|---|--------------------------|--|--|
| Copper            | Copper  |                          | 7440-50-8  | >=99.9%  |
| Tinned Copper     | Copper<br>Tin<br>Lead (in the outside tinned layer)   |                          | 7440-50-8<br>7440-31-5<br>7439-92-1  | >=97.8%<br>0.5-2.2%<br>250 ppm   |
| Copper Clad Steel | Iron<br>Copper<br>Carbon<br>Silicon<br>Manganese<br>Phosphorus<br>Sulphur<br>Chromium<br>Molybdenum<br>Nickel |                          | 7439-89-6<br>7440-50-8<br>7440-44-0<br>7440-21-3<br>7439-96-5<br>7723-14-0<br>7704-34-9<br>7440-47-3<br>7439-98-7<br>7440-02-0 | 99.43-99.75%<br>0.12%<br><=0.080%<br>0.09%<br>0.25-0.40%<br><=0.040%<br><=0.050%<br>0.050%<br>0.017%<br>0.045% |

#### **B) Mixture of Insulation Compounds, Jacketing Compounds, Colourants, and UV additives:**

| Chemical name  | Common name and synonyms | CAS number | Concentration by weight of mixture |
|--|--------------------------|------------|------------------------------------|
| Polyvinyl Chloride   |                          | 9002-86-2  | 33-76%                             |
| Vinyl Chloride   |                          | 75-01-4    | <= 1 ppm                           |
| Calcined Kaolin  |                          | 92704-41-1 | 0-13%                              |
| Calcium Carbonate  | Limestone                | 1317-65-3  | 0-34%                              |
| Silica, Crystalline, Quartz  |                          | 14808-60-7 | 0-0.5%                             |
| Trioctyl Trimellitate  |                          | 3319-31-1  | 0-35%                              |
| Bis (2-ethylhexyl) terephthalate   |                          | 6422-86-2  | 0-39%                              |
| Diundecyl Phthalate  |                          | 3648-20-2  | 0-37%                              |
| Diisononyl Adipate   |                          | 33703-08-1 | 0-23%                              |
| 1,1,3-Tris (2-methyl-4hydroxy-5-tert-butylphenyl) butane                 |                          | 1843-03-4  | 0-0.039%                           |
| Soybean Oil, Epoxidized  |                          | 8013-07-8  | 0-2%                               |
| Calcium Distearate   |                          | 1592-23-0  | 0-0.5%                             |
| Fatty acids, C16-C18, zinc salts   |                          | 557-05-1   | 0-0.4%                             |
| Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat) |                          | 6683-19-8  | 0-0.2%                             |
| 1,3-diphenylpropane-1,3-dione  |                          | 120-46-7   | 0-0.12%                            |
| [carbonato(2-)]<br>hexadecahydroxybis(aluminium)hexamagnesium            |                          | 11097-59-9 | 0-0.6%                             |

|   |                         |             |          |
|---|-------------------------|-------------|----------|
| Diphenyl Isodecyl Phosphite   |                         | 26544-23-0  | 0-0.8%   |
| Diisodecyl Phenyl Phosphite   |                         | 25550-98-5  | 0-0.3%   |
| Triphenyl Phosphite   |                         | 101-02-0    | 0-0.3%   |
| Phenol  |                         | 108-95-2    | 0-0.013% |
| Zinc Borate   |                         | 138265-88-0 | 0-2.9%   |
| Aluminum Hydroxide  |                         | 21645-51-2  | 0-17%    |
| Antimony Trioxide   |                         | 1309-64-4   | 0-6%     |
| Arsenic Trioxide  |                         | 1327-53-3   | 0-60 ppm |
| Lead Monoxide   |                         | 1317-36-8   | 0-60 ppm |
| Calcium Stearate  |                         | 68424-16-8  | 0-0.28%  |
| Stearic Acid  |                         | 57-11-4     | 0-0.24%  |
| Paraffin wax  |                         | 8002-74-2   | 0-0.19%  |
| Titanium Dioxide  | C.I. Pigment White 6    | 13463-67-7  | 0-1.2%   |
| Carbon Black  | C.I. Pigment Black 7    | 1333-86-4   | 0-0.7%   |
| 1,3-Diphenylpropane-1,3-Dione   |                         | 120-46-7    | 0-0.1%   |
| Sodium Diisobutylphthalenesulphonate                                  |                         | 27213-90-7  | 0-0.1%   |
| Formaldehyde  |                         | 50-00-0     | <2 ppm   |
| Copper Chromite Black Spinel  | C.I. Pigment Black 28   | 68186-91-4  | 0-0.1%   |
| Aluminium oxide   |                         | 1344-28-1   | 0-0.06%  |
| Copper Hexadecachlorophthalocyanine                                   | C.I. Pigment Green 7    | 1328-53-6   | 0-0.1%   |
| Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes        |                         | 68511-62-6  | 0-0.1%   |
| Manganese Antimony Titanium Buff Rutile                               | C.I. Pigment Yellow 164 | 68412-38-4  | 0-0.1%   |
| Di-n-octyltin-bis-(2-ethylhexylthioglycolate)                         |                         | 15571-58-1  | 0-0.05%  |
| Kaolin  |                         | 1332-58-7   | 0-0.02%  |
| Copper Phthalocyanine   | C.I. Pigment Blue 15:3  | 147-14-8    | 0-0.2%   |
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich |                         | 68515-48-0  | 0-1.5%   |
| 2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole                         |                         | 3147-75-9   | 0-1.5%   |

**C) Optional Additives:**

| Name            | Chemical name                         | Common name and synonyms | CAS number              | Concentration by weight of Additive |
|-----------------|---------------------------------------|--------------------------|-------------------------|-------------------------------------|
| Tapes           | Polyethylene Terephthalate (PET) Film |                          | 25038-59-9              | Proprietary                         |
| Paper Separator | Cellulose or Cellulose Pulp           |                          | 9004-34-6 or 65996-61-4 | >=93%                               |
| Poly Fillers    | Polypropylene homopolymer             |                          | 9003-07-0               | >=98%                               |
| Ripcord         | Polyethylene Terephthalate            |                          | 25038-59-9              | >98%                                |
| Talc            | Talc                                  |                          | 14807-96-6              | 80-100%                             |
| Silicone        | Silicone                              |                          | Proprietary             | Proprietary                         |

## **Section 4. First-aid measures**

### **First-aid measures by route of exposure:**

**Inhalation:** No adverse effects anticipated under normal conditions if ventilation provided. However, if exposure occurs, move to fresh air. Obtain medical attention immediately if irritation persists.

**Skin Contact:** Not a skin irritant.

**Skin Contact with molten plastic:** Cool rapidly with cold water. Obtain medical attention for burn.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation persists. Seek medical attention if a splash of molten plastic has occurred.

**Ingestion:** No specific treatment is needed.

### **Most important symptoms and effects (acute or delayed):**

**Acute:** Over exposure is improbable as chemicals are bound in the matrix of the polymer. During thermal processing, vapours or odours may be released under normal processing conditions; ensure ventilation.

**Delayed:** No known delayed effect. Over exposure is improbable because the ingredients are bound in the matrix of the polymer.

### **Immediate medical attention and special treatment, if necessary:**

Seek medical attention if contact with molten plastic has occurred. No special treatment is needed.

## **Section 5. Fire-fighting measures**

**Suitable extinguishing media:** Use water, dry powder, carbon dioxide or foam.

**Unsuitable extinguishing media:** None known.

**Specific hazards arising from the hazardous product (e.g., hazardous combustion products):** No specific fire or explosion hazard.

**Hazardous thermal decomposition products:** The most important are carbon dioxide, carbon monoxide and hydrogen chloride. Traces of aromatic and aliphatic hydrocarbons may be found. Fumes are considered toxic. Copper, if heated to a very high temperature, may give off copper fumes.

**Special protective equipment and precautions for fire-fighters:** Wear appropriate protective clothing and self-contained respirator.

## **Section 6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Safety glasses and work clothes. In case of insufficient ventilation, wear an appropriate MSHA/NIOSH respirator.

**Methods and materials for containment and cleaning up:** Consult your local and regional authorities.

## **Section 7. Handling and storage**

**Precautions for safe handling:** Put on appropriate personal protective equipment (see Section 8). Under normal usage coated wire and cable is inert. During thermal processing avoid inhaling vapours, fumes or dust. Avoid contact with eyes and skin contact with molten product. Always wash thoroughly before eating, drinking or smoking, as well as after work shift.

**Conditions for safe storage (including incompatible materials):** Store in accordance with local regulations. Keep away from heat and in a dry location away from incompatible materials (see Section 10).

## Section 8. Exposure controls/Personal protection

Control parameters, including occupational exposure guidelines or biological exposure limits and the source of those values:

| Chemical name                                      | CAS number | Time-Weighted Average Limit (TWA) <sup>(1)</sup>   | Short-Term Exposure Limit (STEL) / Ceiling Limit (C) <sup>(1)</sup> |
|--|------------|--|---|
| Copper   | 7440-50-8  | 0.2 mg/m <sup>3</sup> (Fume, as Cu).<br>1 mg/m <sup>3</sup> (Dusts and mists, as Cu).  | none  |
| Tin <sup>(2)</sup>                                 | 7440-31-5  | 2 mg/m <sup>3</sup> (Metal, as Sn) or<br>(Oxide and inorganic compounds, as Sn, except tin hydride).   | none  |
| Lead <sup>(2) (3)</sup><br>Lead Monoxide (as Pb)   | 7439-92-1  | 0.05 mg/m <sup>3</sup> (elemental lead, inorganic and organic compounds of lead, as Pb).   | none  |
| Manganese <sup>(2)</sup>                           | 7439-96-5  | 0.2 mg/m <sup>3</sup> (elemental and inorganic compounds, as Mn).  | none  |
| Chromium   | 7440-47-3  | 0.5 mg/m <sup>3</sup> (and inorganic compounds, as Cr –Metal and Cr III compounds)   | none  |
| Molybdenum (as Mo - Metal and insoluble compounds) | 7439-98-7  | 10 mg/m <sup>3</sup> (Inhalable particulate matter).<br>3 mg/m <sup>3</sup> (Respirable particulate matter).   | none  |
| Nickel <sup>(2)</sup> (Elemental/metal)            | 7440-02-0  | Elemental/metal: 1 mg/m <sup>3</sup> (Inhalable particulate matter).<br>Insoluble compounds, as Ni: 0.2 mg/m <sup>3</sup> (Inhalable particulate matter).<br>Soluble compounds, as Ni: 0.1 mg/m <sup>3</sup> (Inhalable particulate matter). | none  |
| Polyvinyl Chloride                                 | 9002-86-2  | 1 mg/m <sup>3</sup> (Respirable particulate matter).   | none  |
| Vinyl Chloride <sup>(2) (3)</sup>                  | 75-01-4    | 1 ppm  | none  |
| Silica, Crystalline, Quartz <sup>(2) (3)</sup>     | 14808-60-7 | 0.1 mg/m <sup>3</sup> (Respirable particulate matter)  | none  |
| Fatty acids, C16-C18, zinc salts                   | 557-05-1   | 10 mg/m <sup>3</sup> (Inhalable particulate matter).<br>3 mg/m <sup>3</sup> (Respirable particulate matter).   | none  |
| Phenol   | 108-95-2   | 5 ppm (Skin-Danger of cutaneous absorption).   | none  |
| Antimony Trioxide (as Sb).                         | 1309-64-4  | 0.5 mg/m <sup>3</sup>  | none  |
| Arsenic Trioxide (as As). <sup>(2) (3)</sup>       | 1327-53-3  | 0.01 mg/m <sup>3</sup>   | 0.05 mg/m <sup>3</sup>  |
| Stearic Acid                                       | 57-11-4    | 10 mg/m <sup>3</sup> (Inhalable particulate matter).<br>3 mg/m <sup>3</sup> (Respirable particulate matter).   | none  |
| Paraffin wax fume                                  | 8002-74-2  | 2 mg/m <sup>3</sup>  | none  |
| Titanium Dioxide                                   | 13463-67-7 | 10 mg/m <sup>3</sup>   | none  |
| Carbon Black                                       | 1333-86-4  | 3 mg/m <sup>3</sup> (Inhalable particulate matter).  | none  |
| Formaldehyde <sup>(2)</sup>                        | 50-00-0    | none   | STEL 1 ppm C 1.5 ppm  |
| Aluminium oxide                                    | 1344-28-1  | 1 mg/m <sup>3</sup> (Respirable particulate matter).   | none  |
| Kaolin   | 1332-58-7  | 2 mg/m <sup>3</sup> (Respirable particulate matter containing no asbestos and < 1 per cent crystalline silica).  | none  |
| Cellulose  | 9004-34-6  | 10 mg/m <sup>3</sup>   | none  |

|                     |            |   |      |
|---------------------|------------|---|------|
| Talc <sup>(2)</sup> | 14807-96-6 | 2 mg/m <sup>3</sup> (Respirable particulate matter containing no asbestos and < 1 per cent crystalline silica).<br>2 fibres/cc (Should not exceed 2 mg/m <sup>3</sup> respirable particulate mass). | none |
|---------------------|------------|---|------|

<sup>(1)</sup> Values above from Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833 dated March 30, 2022.

<sup>(2)</sup> Denotes agents listed in Ontario Table in Regulation 833.

<sup>(3)</sup> Denotes designated substance according to O. Reg. 490/09.

**Appropriate engineering controls:** Local exhaust ventilation sufficient to control vapours and odours during the heating process.

**Individual protection measures (e.g. personal protective equipment):** Safety glasses and work clothes. In case of insufficient ventilation, wear an appropriate MSHA/NIOSH respirator.

## **Section 9. Physical and chemical properties**

|   |                 |
|---|-----------------|
| Physical state                          | : Solid         |
| Specific Gravity                        | : Not available |
| Odour                                   | : Very faint    |
| Odour threshold                         | : Not available |
| pH                                      | : Not available |
| Melting point/Freezing point            | : Not available |
| Initial boiling point/boiling range     | : Not available |
| Flash point                             | : Not available |
| Evaporation rate                        | : Not available |
| Flammability (solid; gas)               | : Not available |
| Lower flammable/explosive limit         | : Not available |
| Upper flammable/explosive limit         | : Not available |
| Vapour pressure                         | : Not available |
| Vapour density                          | : Not available |
| Relative density                        | : Not available |
| Solubility                              | : Not available |
| Partition coefficient - n-octanol/water | : Not available |
| Auto-ignition temperature               | : Not available |
| Decomposition temperature               | : Not available |
| Viscosity                               | : Not available |

## **Section 10. Stability and reactivity**

|  |  |
|--|--|
| Reactivity   | : Not available  |
| Chemical stability   | : Stable under recommended storage and handling conditions (see Section 7).  |
| Possibility of hazardous reactions                                   | : With normal conditions of storage and use, hazardous reactions will not occur.   |
| Conditions to avoid<br>(e.g., static discharge, shock, or vibration) | : Avoid extreme heat.  |
| Incompatible materials   | : None known   |
| Hazardous decomposition products                                     | : The most important thermal decomposition products are carbon dioxide, carbon monoxide and hydrogen chloride. Traces of aromatic and aliphatic hydrocarbons may be found. Fumes are considered toxic. |



## Section 11. Toxicological information

These PVC electrical cables have not been evaluated for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the cables. Data on individual components from the National Institute for Occupational Safety and Health (NIOSH), National Institutes of Health (NIH) and European Chemicals Agency (ECHA).

| Chemical name  | CAS number | Result                | Species               | Dose                     |
|--|------------|-----------------------|-----------------------|--------------------------|
| Copper   | 7440-50-8  | IDLH                  | Human                 | 100 mg/m <sup>3</sup>    |
| Tin  | 7440-31-5  | TDLo Unreported       | Human                 | 250 mg/kg                |
| Lead   | 7439-92-1  | TDLo Inhalation       | Human                 | 10 µg/m <sup>3</sup>     |
| Iron   | 7439-89-6  | TDLo Inhalation       | Rat                   | 0.8 mg/kg                |
| Carbon   | 7440-44-0  | LC50 Inhalation       | Rat                   | 8 500 mg/m <sup>3</sup>  |
| Silicon  | 7440-21-3  | LD50 Oral             | Rat                   | 3160 mg/kg               |
| Manganese  | 7439-96-5  | TDLo Inhalation       | Human                 | 2300 µg/m <sup>3</sup>   |
| Phosphorus   | 7723-14-0  | LD50 Oral             | Rat                   | 3030 µg/kg               |
| Sulphur  | 7704-34-9  | LC50 Inhalation       | Rat                   | 5 430 mg/m <sup>3</sup>  |
| Chromium   | 7440-47-3  | LD50 Unreported       | Rat                   | 27500 µg/kg              |
| Polyvinyl Chloride   | 9002-86-2  | Not available         |                       |                          |
| Vinyl Chloride   | 75-01-4    | LD50 Oral             | Rat                   | 500 mg/kg                |
|  |            | LC50 Inhalation       | Rat                   | 180000 mg/kg             |
| Calcined Kaolin  | 92704-41-1 | LC50 Inhalation       | Rat                   | >2 070 mg/m <sup>3</sup> |
| Calcium Carbonate  | 1317-65-3  | LD50 Oral             | Rat                   | 6450 mg/kg               |
| Silica, Crystalline, Quartz  | 14808-60-7 | LD50 Oral             | Rat                   | 3160 mg/kg               |
| Trioctyl Trimellitate  | 3319-31-1  | LD50 Oral             | Mouse                 | >60000 mg/kg             |
| Bis (2-ethylhexyl) terephthalate   | 6422-86-2  | LDLo Oral             | Mouse                 | 20000 mg/kg              |
| Diundecyl Phthalate  | 3648-20-2  | LD Oral               | Rat                   | >2000 mg/kg              |
| Diisononyl Adipate   | 33703-08-1 | LC50 Inhalation       | Rat                   | 5 700 mg/m <sup>3</sup>  |
| 1,1,3-Tris (2-methyl-4hydroxy-5-tert-butylphenyl) butane                 | 1843-03-4  | LD50 Unreported route | Rat                   | 14000 mg/kg              |
| Soybean Oil, Epoxidized  | 8013-07-8  | LD Oral               | Rat                   | 5000 mg/kg               |
| Calcium Distearate   | 1592-23-0  | LD50 Oral             | Rat                   | >10000 mg/kg             |
|  |            | LC Inhalation         | Mammal (Unidentified) | >1241 mg/kg              |
| Fatty acids, C16-C18, zinc salts   | 557-05-1   | LD50 Oral             | Rat                   | >10000 mg/kg             |
|  |            | LC Inhalation         | Mammal (Unidentified) | >1241 mg/kg              |
| Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat) | 6683-19-8  | LD50 Unreported route | Mammal (Unidentified) | 10000 mg/kg              |
| 1,3-diphenylpropane-1,3-dione  | 120-46-7   | LD Oral               | Rat                   | >500 mg/kg               |
| [carbonato(2-)] hexadecahydroxybis (aluminium)hexamagnesium              | 11097-59-9 | LC50 Inhalation       | Rat                   | 5 160 mg/m <sup>3</sup>  |
| Diphenyl Isodecyl Phosphite  | 26544-23-0 | LD50 Oral             | Rat                   | 2.37 mg/kg               |
| Diisodecyl Phenyl Phosphite  | 25550-98-5 | Not available         |                       |                          |
| Triphenyl Phosphite  | 101-02-0   | LD50 Oral             | Rat                   | 444 mg/kg                |
|  |            | LC Inhalation         | Rat                   | >6700 mg/kg              |
| Phenol   | 108-95-2   | LD50 Oral             | Rat                   | 317 mg/kg                |
|  |            | LC50 Inhalation       | Rat                   | 316 mg/kg                |

|   |             |                   |                          |                            |
|---|-------------|-------------------|--------------------------|----------------------------|
| Zinc Borate   | 138265-88-0 | LD50 Oral         | Rat                      | >10000 mg/kg               |
| Aluminum Hydroxide  | 21645-51-2  | LD50 Oral         | Rat                      | >5000 mg/kg                |
| Antimony Trioxide   | 1309-64-4   | LD50 Oral         | Rat                      | >34600 mg/kg               |
| Arsenic Trioxide  | 1327-53-3   | LD50 Oral         | Rat                      | 14.6 mg/kg                 |
| Lead Monoxide   | 1317-36-8   | LDLo Oral         | Dog                      | 1400 mg/kg                 |
| Calcium Stearate  | 68424-16-8  | LD50 Oral         | Rat                      | >10000 mg/kg               |
|   |             | LC Inhalation     | Mammal<br>(Unidentified) | >1241 mg/kg                |
| Stearic Acid  | 57-11-4     | LDLo Oral         | Rat                      | 64 mg/kg                   |
| Paraffin wax  | 8002-74-2   | LD50 Oral         | Rat                      | 5 000 mg/kg                |
| Titanium Dioxide  | 13463-67-7  | LD Intratracheal  | Rat                      | >100 ug/kg                 |
| Carbon Black  | 1333-86-4   | IDLH              | Human                    | 1,750 mg/m <sup>3</sup>    |
| Sodium Diisobutyl-naphthalenesulphonate                               | 27213-90-7  | LC50 Inhalation   | Rat                      | 3 820 mg/m <sup>3</sup>    |
| Formaldehyde  | 50-00-0     | LD50 Oral         | Mouse                    | 42 mg/kg                   |
| Copper Chromite Black Spinel  | 68186-91-4  | LC50 Inhalation   | Rat                      | 5 070 mg/m <sup>3</sup>    |
| Aluminium oxide   | 1344-28-1   | LD50 Oral         | Mouse                    | >3600 mg/kg                |
| Copper Hexadecachlorophthalocyanine                                   | 1328-53-6   | LD50 Oral         | Rat                      | 5000 mg/kg                 |
| Nickel, 5,5'-azobis-2,4,6(1H,3H,5H)-pyrimidinetrione complexes        | 68511-62-6  | Not available     |                          |                            |
| Manganese Antimony Titanium Buff Rutile                               | 68412-38-4  | LC50 Inhalation   | Rat                      | > 2 199 mg/ m <sup>3</sup> |
| Di-n-octyltin-bis-(2-ethylhexylthioglycolate)                         | 15571-58-1  | LD50 Oral         | Rat                      | 2100 mg/kg                 |
| Kaolin  | 1332-58-7   | TDLo Intrapleural | Guinea Pig               | 150 mg/kg                  |
| Copper Phthalocyanine   | 147-14-8    | LD50 Oral         | Rat                      | > 6 400 mg/kg              |
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 68515-48-0  | LC50 Inhalation   | Rat                      | > 4,400 mg/m <sup>3</sup>  |
| 2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole                         | 3147-75-9   | LD50 Oral         | Rat                      | > 10 000 mg/kg             |
| Polyethylene Terephthalate  | 25038-59-9  | Not available     |                          |                            |
| Cellulose   | 9004-34-6   | LD50 Oral         | Rat                      | >5 gm/kg                   |
| Cellulose Pulp  | 65996-61-4  | Not available     |                          |                            |
| Polypropylene homopolymer   | 9003-07-0   | Not available     |                          |                            |
| Talc  | 14807-96-6  | ILDH              | Human                    | 1000 mg/m <sup>3</sup>     |

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Not available for mixtures.

**Symptoms related to the physical, chemical and toxicological characteristics:** No specific data for mixtures.

**Delayed and immediate effects, and chronic effects from short-term and long-term exposure:** Not available for mixtures.

**Numerical measures of toxicity, including acute toxicity estimates (ATEs):** Not available for mixtures.

**Section 12. Ecological information**

Elected the option to not provide information in this section as per Canadian regulations.

**Section 13. Disposal considerations**

Elected the option to not provide information in this section as per Canadian regulations.

**Section 14. Transport information**

Elected the option to not provide information in this section as per Canadian regulations.

**Section 15. Regulatory information**

Elected the option to not provide information in this section as per Canadian regulations.

**Section 16. Other information**

**Date of the latest revision of the SDS:** March 28, 2023.

**Notice to Reader:** To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All material may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.